

REMARKS
VMXXR036-1
UNIT TYPE 1

CHASSIS TYPE BILL
FOR VIN 1XKZD49X4PJ236971

PAGE 001
AS OF 03/18/22

Lot 13 Stock 87209

DATES
REQ DELV 03/07/22

DELIVERY 03/18/22
PRIC EFF 03/18/22

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091100 HEAVY MACHINERY

INTENDED SERVICE 0093000 LINEHAUL

BODY LENGTH .00 IN BODY HEIGHT .00 IN
MAX LADEN WEIGHT .00 LBS

TRAILER

TRAILER TYPE 0096040 FLATBED

TRAILER LENGTH 65.00 FT TRAILER HEIGHT 13.00 FT
KINGPIN 36.00 IN CTR LINE AXLE GRP .00 IN
CORNER RADIUS 2.00 IN NO TRAILER AXLES 04

OPERATING AREA RESTRICTIONS

LENGTH 120.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT
**** DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 13200.00 LBS REAR AXLE LOAD 40000.00 LBS GCW 140000.00 LBS
WHEELBASE 188.00 IN FAX/BOC 74.00 IN CAB/AXLE 114.00 IN
CAB/EOF 171.00 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 095 % CLASS B 005
% CLASS C 000
% CLASS D 000

UNIT TYPE 1

SPECIAL REQUIREMENTS
SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT:	13,200.00 LBS		
GAWR FIRST INTER	20,000.00 LBS	SECOND INTER	0.00 LBS
GAWR REAR:	20,000.00 LBS		
GVWR:	53,200.00 LBS		

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
----	-----	----	-----	-----
BASE MODEL				
0000810	T880 Series Conventional	P	213,378	15,549
0070060	T880	P	0	0
0072000	CHASSIS OPERATION WILL NOT INCLUDE A STATIONARY APPLICATION	P	0	0
0080075	DLR/CUST DECLINES ENG W/CARB IDLE RED FEATURE	P	0	0
0090000	NONSLEEPER	P	0	0
	With rear axle capacity less than 59K			
0098413	STATE OF REGISTRY: ILLINOIS	P	0	0
ENGINE AND ENGINE EQUIPMENT				
0130309	X15 450 450@1700 1650@950	P	5,245	465
	2021 W/INTEBRAKE, EFFICIENCY SERIES			
N0920	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N0922	C402 0....EXPIRATION DISTANCE (C402)			
N0924	C209 120...HARD MAXIMUM SPEED LIMIT (C2			
N0926	C121 65....MAXIMUM ACCELERATOR PEDAL VE			
N0930	C128 65....MAXIMUM CRUISE SPEED (C128)			
N0936	C400 252...RESERVE SPEED FUNCTION RESET			
N0938	C334 0....MAXIMUM CYCLE DISTANCE (C334			
N0940	C401 10....MAXIMUM ACTIVE DISTANCE (C40			
N0942	C333 0....RESERVE SPEED LIMIT OFFSET (			
N0944	C234 NO....ENGINE PROTECTION SHUTDOWN (			
N0946	C231 NO....GEAR DOWN PROTECTION (C231)			
N0948	C132 1400..MAX PTO SPEED (C132)			
N0950	C239 YES...CRUISE CONTROL AUTO RESUME (			
N0952	C238 YES...AUTO ENGINE BRAKE IN CRUISE			
N0954	C395 0....EXPIRATION DISTANCE (C395)			
N0956	C225 YES...ENABLE IDLE SHUTDOWN PARK BR			
N0958	C133 5....TIMER SETTING (C133)			
N0960	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N0962	C397 60....TIMER FOR IMPENDING SHUTDOWN			
N0964	C206 35....ENGINE LOAD THRESHOLD (C206)			
N0968	C233 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N0972	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	C188 40....LOW AMBIENT TEMPERATURE THRE			
N0976	C189 60....INTERMEDIATE AMBIENT TEMPERA			
N0978	C190 80....HIGH AMBIENT TEMPERATURE THR			
1000046	EPA EMISSIONS WARRANTY ENGINE	P	0	0
1000151	PREMIERSPEC	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
1000244	PT Optimization analysis: Balance power/economy blend results	P	0	0
1000251	Customer's Typical Operating Spd:60 MPH	P	0	0
1000683	Effective VSL Setting 65.0 MPH (USA)	P	0	0
1000858	Engine Idle Shutdown Timer Disabled	P	0	0
1000891	Eff EIST NA Expiration Miles	P	0	0
	Use only with MX and Cummins engines			
1002080	Air comp: Cummins 18.7 CFM, Naturally Aspirated for X15 engines	P	196	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0	0
1099080	PRE-CLEANER: MTD IN THE HOOD PLENUM	P	311	0
1105220	Fan Hub: Horton 2-Speed for X15	P	5	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID,NON-REM	P	130	2
1247234	EXH: 2021 RH UND DPF/SCR W/ RH SOC VERT TP - NOT 2.1M HIGH ROOF SLPR	P	0	0
1290154	Tailpipe: 5" Single 54" 45 Deg Curved *Not for SCR Independent Exhaust	P	79	4
1291944	Single Lower Chrome Exhaust Elbow	P	228	0
1321109	Fuel Filter:PACCAR Std. Serv. Interval Fuel/Water Separator, 2017 and Later	P	73	0
1321205	Run Aid:Fuel Heat *For Fuel Filter	P	0	0
1321305	Start Aid:12V Heat *For Fuel Filter	P	0	0
1811487	ALT: LEECE NEVILLE 220 AMP BRUSHLESS	U	429	11
1825007	Batt: 3 Odyssey GP31 AGM (1150) 3450 CCA threaded post	P	1,062	49
1836103	PACCAR PREMIUM 12V STARTER W/ X15 ENGS	P	123	0
1840005	BATT DISCONNECT SW: 2 MTD ON BATT BOX	P	190	2
1840065	12V LOW VOLTAGE DISCONNECT FOR STARTER BATTERY PROTECTION	P	0	0
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	214	11
1901017	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY REMOTE CONTROL PROVISION	P	0	0
MAIN TRANSMISSION AND CLUTCH				
2058362	TRANS: EATON FRO16210C 10 SPD W/ PUMP, W/ EXTERNAL OIL COOLER	P	6,900-	86
2250497	CLUTCH: EATON 15.5" ADVANTAGE SELF ADJ CERAMIC, 6 PAD, PREDAMPER, TO 1850 LBFT	P	1,446	7
2294080	CLUTCH: AIR-ASSISTED HYDRAULIC	P	0	0
2405405	D/L: 2 DANA 1810 W/ 1 CB	P	909	68
2406005	45 DEGREE YOKES ON INTERAXLE DRIVELINES	P	439	11
2460042	EATON 14" HI CAP OIL TO WATER COOLER STD FOR TRANS 1550-2250 LBFT	P	0	0
2493009	Aluminum clutch housing	P	0	0
2494050	GREASE BANK FOR CLUTCH THROWOUT BEARING	P	108	4

FRONT AXLE AND EQUIPMENT

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
2502017	FR DANA SPCR D-1321IL @13.2K 3.5" DROP USE W/AIR DISC BRK ONLY	P	1,786-	194-
2607011	FR AIR DISC BRK:BENDIX RSD TO 14.6K ADB22X REDUCED STOP DIST TRACTOR ONLY	P	432-	0
2690024	SPLINED ROTOR F/FR AIR DISC BRK F/USE W/AL HUBS	P	0	0
2701300	FR AL HUB PIL MNT MAX CAP 13.2K 11.25" BC "TURBO" 10BLT	P	533-	0
2741970	FR CONMET PRESET PLUS HUB PKG	P	0	0
2750001	FR HUBCAP VENTED	P	0	0
2769000	INCLUDED W/FR AXLE OR BRK: SLACK ADJUST ALSO USE W/DISC BRKS	P	0	0
2864019	FR SPRG TAPERLEAF 14.6K 2-LEAF W/SHOCKS	P	688-	101-
2895101	PWR STRG SING GEAR, SHEPPARD SD110 16K	P	733-	64-
2899336	PWR STRG COOLER RADIATOR MTD	P	0	0
2900615	THREADED BUSHINGS F/TAPERLEAF SPRG 12K-14.6K(T6/T8/W9B/W990);13K-14.6K(T3)	P	87	0
REAR AXLE AND EQUIPMENT				
3121180	RR DANA SPCR D40-172 40K DUAL "SUPER 40"	P	1,268	216-
3200373	REAR AXLE RATIO-3.73	P	0	0
3306014	RR AIR DISC BRK:BENDIX RSD DUAL MAX 46K REDUCED STOPPING DISTANCE TRACTOR ONLY	P	67-	40
3392604	SPLINED ROTOR FOR DUAL RR AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	3,947	207-
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4" BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	RR CONMET PRESET PLUS HUB PKG:DUAL	P	0	0
3465900	RR SLACK ADJUST:INCL W/AXLE OR BRAKES ALSO USE W/ DISC BRAKES	P	0	0
3485002	RR SPRING BRK:INCL W/AIR DISC BRAKES DUAL	P	0	0
3495225	FMVSS-136 Stability Cntrl Schdl Review	P	0	0
3495231	ABS:BENDIX 6S/6M W/ATC & ELECTRONIC STABILITY PROGRAM (ESP) F/TRACTORS	P	48-	15
3500002	REAR AXLE APPROVAL RECEIVED*SEE N3840 FOR DATE OF RECEIPT*	U	0	0
3500037	I/A D/L: 1 DANA 1710 USE 3500040 FOR TRIDEM	P	199-	11-
3532190	WHEEL DIFF LOCK: D40-170/172(P)/D46 -170/172(H), (P)(WT) FWD RR	P	1,459	55
3730026	KW AG400L 40K DUAL 54" AS 8.5" RIDE HT W/SING LEVEL VALVE	P	2,270-	108-
3830145	DELETE STD HD AIR SPRINGS F/ RR SUSP FOR CREDIT ONLY	P	37-	29-
N3840	DA-22-09222-001 1/31/2022 7:10:39 AM			
TIRES, WHEELS & RIMS				
4010141	FR MN X LINE ENERGY Z 275/80R22.5 16PR PART: MN66205 FET: 70	P	1,176-	9

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
4280051	RR CN HSL3 295/75 R22.5 16PR	P	620	8
	PART: CN05111590000 FET: 280			
4900008	CODE-REAR TIRE QTY 08.			
5043363	FR WHL ALCOA 88267 22.5X8.25 AL HUB PIL	P	471-	154-
	MNT, NEW GEN, ADB COMPAT, LVL1			
5850040	WHL GUARDS ALL AXLES	P	95	2
5859010	SING FR AXLE DURA-BRIGHT MIRROR POLISH	P	308	0
	OUTBRD SURFACE OF WHEELS (QTY2) -1DB			
5859012	DUAL RR AXLE DURA-BRIGHT MIRROR POLISH	P	820	0
	OUTBRD SURFACE OF OUTER WHLS(QTY 4)-2DB			
5243363	RR WHL ALCOA 88267 22.5X8.25 AL	P	1,616	292-
	HUB PIL, LVL1			
5900008	CODE-REAR RIM QTY 08.			
	FRAME AND EQUIPMENT			
6056200	FRAME RAILS: 10-3/4 X 3/8" STL TO 284"	P	0	0
	SECTION MOD:17.80, RBM:2,132,000 LBS			
6302461	BUMPER: TAPERED CHROME STL CHANNEL	P	592	64
	REQS BUMPER SETTING CODE			
6319485	48.5 INCH BUMPER SETTING *REQS BUMPER	P	0	0
	CODE			
6321005	REMOVABLE FRONT TOW HOOKS: 2	P	278	15
6390083	Custom Frame Layout Complete	U	0	0
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0	0
6390312	IRON FRONT DRIVE BRACKETS	P	129	46
6391205	Custom Frame Layout: 5-9 chassis	P	200	0
6391252	CUSTOM FRAME LAYOUT: ITERATION 2	U	0	0
	OF THE FRAME MODEL SENT			
6397001	HUCK BOLTS THROUGHOUT FRAME WHERE	P	307	0
	POSSIBLE, MAY NOT INCL SUSP C/M			
6405048	BATT BOX MODULE: PAR ALUM UND, SHORT	P	0	0
	LENGTH, ALUM DP INTEGRAL STEP COVER			
6409901	BATTERY BOX LOCATION: LH SIDE	P	0	0
6410010	FRAME ACCESS EQUIP:GRABHANDLE(S) LH MTD	P	58	0
6410092	FRAME ACCESS GRABHANDLE HORIZ MTD	P	59	2
	MIDPOINT OF SLPR OR DAYCAB			
6414006	FULL COVERAGE (UP TO & INCL 72") ALUM	P	354	24
	FRAME ACCESS DECK PLATE			
6418008	FRAME ACCESS STEPS:2 F/TANK BOC LH	P	195	7
	FUEL OR HYDRAULIC			
6451090	T470,C5,T6,T8 NON-POL DPF/SCR OR CNG	P	0	0
	DP COVER W/STEP. CAB ACCESS RH UNDER			
6533218	FW:AIR FN SL7LWB1025024 24.0" 10.25"	U	3,094	0
	LT WT SLIDE BRKT, OUTBRD MTD 55K			
N6530	6533219 SL7LWB1025024 OAR 652204			
6679821	2021 SERIES EMISSIONS ENGINE	U	0	0
6679914	ANY CHANGES TO REAR CAB/SLPR AREA MUST	P	0	0
	COMPLY WITH FMCSR 399			
6679915	CUSTOMER INSTALL BULKHEAD/HEADACHE RACK	P	0	0
6680000	REAR OR FIXD SETTING AHD C/L BOGIE 000.			
N6605	MAKE AS SIMILAR AS POSSIBLE TO 236966			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
6721102	RR MUDFLAP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0	0
6722000	RR MUDFLAP SHIELDS:WHITE PLASTIC KW LOGO, ANTISAIL	P	0	0
6743116	TRACTOR TAPER BENT/WELD W/HD C/M	P	304	68
6747000	SHORTEST END OF FRAME CUTOFF W/SPECIFIED EOF CONFIGURATION Selecting code will override the "overhang" dimension found in Voca Analysis of Prospector.	P	0	0
FUEL TANKS AND EQUIPMENT				
7214100	FUEL TANK: 100 US GAL 24.5" AL BOC RPL	P	0	0
7216060	FUEL TANK: 60 US GAL 24.5" AL BOC ADD	P	2,007	97
N7210	CFL F/T:FUEL FILLS TO BE STRAIGHT			
N7211	CFL F/T:ACCRSS FROM EACH OTHER			
N7212	AS MUCH AS POSSIBLE			
7722154	DEF TANK: MEDIUM ROUND, 23.8 GAL 2021 EMISSIONS	P	230	15
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	352	2
7889203	DEF TO FUEL FILL RATIO 2:1 OR GREATER	P	0	0
7889247	DELETE ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	16-	0
7889604	DEF TANK LOC: LH	P	0	0
7930100	LOCATION RH BEHIND CAB 100 GAL.			
7940060	LOCATION LH BEHIND CAB 060 GAL.			
CAB AND EQUIPMENT				
8025301	CAB: Stamped Alum, Panoramic Curved Windshld, w/ LED Marker Lights, Signals	P	0	0
8090604	Hood: T880 Standard Length W/Mechan. Fastened Fenders. 122.6" BBC	P	345	15
8108011	Htr/Air Con w/defrst & auto temp ctrl *48K BTU/hr heater *Daycab/40in SLPR	P	0	0
8201043	STRG Whl: 18" Leather*Smartwheel Integrated radio & cruise ctrls	P	93	2
8201051	COLUMN MTD RETARDER CTRL, RH SIDE	P	0	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	0	0
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	37	0
8203191	KEY LOCK: CUSTOMER-SPECIFIED TUMBLER # INCL. IGN.,CAB DRS,SLPR TOOL, 2.1M ONLY	P	449	0
8203196	DASH MTD - COMPACT TRAILER BRAKE VALVE SELF RETURNING	P	0	0
8208495	SW: 2 SPARES WIRED TO POWER	P	66	0
8210949	Custom key code: 7-pin (P0949)	U	0	0
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	40	0
8222400	GAU: DD VIRTUAL GAUGE - AIR SUSP PRESSURE 1	P	88	0
8222402	GAU: DD VIRTUAL GAUGE - TRAILER RESERVOIR	P	88	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
8222404	GAU: DD VIRTUAL GAUGE - OIL TEMP ENG	P	0	0
8222412	GAU: DD VIRTUAL GAUGE - MAIN TRANS TEMP	P	56	0
8222413	GAU: DD VIRTUAL GAUGE - MANIFOLD PRESSURE BOOST	P	0	0
8222414	GAU: DD VIRTUAL GAUGE - ENGINE PERCENT TORQUE	P	0	0
8222417	GAU: DD VIRTUAL GAUGE - SECONDARY FUEL	P	73	0
8222712	GAU: FUEL FILTER RESTRICTION	P	135	0
8226667	GAU: OIL TEMP MAIN TRANSMISSION	P	56	0
8282027	MAIN INSTRUMENT PKG 15" DISPLAY	P	0	0
N8200	8203191 WOULD LIKE G300???			
8300008	Interior color: Slate Gray	P	0	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0	0
8390634	Floormat: Rubber material	P	0	0
8410276	DR SEAT: KW GT702 HB ULTRALEATHER AIR-RIDE SUSP	P	496	11
8480104	RD SEAT: KW GT100 HB TOOLBOX SEAT VINYL	P	132	0
8490181	SEAT COLOR: BLACK	P	0	0
8601429	KENWORTH RADIO DEA730 AM/FM/WB/USB, BLUETOOTH & SIRIUS-XM SATELLITE	P	225	0
8698982	SPKRS: Mid Level Audio System- Daycab: High Performance Door and B-Pillar	P	51	4
8699926	CB installation kit center mounted of header w/quick mt release dual antenna	P	289	2
8700197	TURN SIGNAL: NON-SELF-CANCELLING	P	0	0
8700283	LH & RH TRIP LEDGE RAIN DEFLECTORS	P	0	0
8700406	Stainless steel permit panel on cab *driver side only*	P	108	0
8700630	PROVISION FOR RAM BALL MTD ON DASH W/ WIRING PASS-THRU	P	184	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8800402	Grabhandles: Dual cab-interior,A-pillar mtd dash wrap & B-pillar mtd handles	P	0	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0	0
8850139	Look-down, pass. door, Black 11x6	P	0	0
8850812	MIRR: LH HOOD MTD ROUND CX CHROME	P	145	4
8850813	MIRR: RH HOOD MTD ROUND CX CHROME	P	150	4
8865003	MIRR: DUAL KW AERO MOTOR HTD 7"X13" CHROME SHELL-ARMS BLK W/ 6"X7" CX MIRR	P	354	0
8871446	RR CAB Window: fixed 19"X36" NOT AVAILABLE W/SLEEPER	P	0	0
8890101	Windshield: 1-pc bonded-in w/ curved glass	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	906	20
8890300	FENDER CLOSE-OUT BELOW HEADLAMP BEHIND BUMPER *NOT W/ 3-PC BUMPER	P	209	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8890359	DELETE WHEELWELL FNDR EXTENSION	P	291-	4-
8890876	Kenworth cab/sleeper air suspension	P	0	0
LIGHTS AND SIGNALS				
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0	0
9022137	MARKER LIGHTS: 5 RECTANGULAR LED	P	0	0
9030016	TURN SIGNAL LIGHTS: FLUSH MTD LED	P	0	0
	MTD AT TOP OF FENDER WHEEL ARC			
9030054	TRUCKLITE STOP/TURN/TAIL 44 SERIES6 LED	P	168	0
	RED W/2 LED B/U LTS,FLANGE,LED LICENSE			
9039014	ADD TURN SIGNAL LAMPS MTD BOC/BOS	P	251	2
9056144	FLOODLIGHTS: DUAL LED PEDESTAL 1ST SET	U	415	0
9059901	1ST SET LOC: HIGH F/DUAL (LH IF SINGLE)	P	0	0
9080135	SS Brackets, Switch & Wiring: C/I dual	P	291	4
	beacon lights mtd over door of cab			
9090000	DAYTIME RUNNING LAMPS	P	180	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS	P	0	0
	ARE ACTIVE			
9090039	INTERRUPTER SWITCH FOR MARKER LTS	P	0	0
	B-CAB:INCL IN TURN SIGNAL;T3 IN DASH			
9090049	Omit Brake Light W/ Engine Brake	P	0	0
9090849	POLYSWITCHES REPL FUSES: SWITCH WILL	P	49	0
	AUTO RESET AFTER REMOVAL OF EXCESS LOAD			
AIR EQUIPMENT				
9101219	AIR DRYER: BENDIX AD-HF HTD PURAGUARD &	P	132	0
	EXTENDED PURGE			
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110071	TRAC KIT: CTR FRM-MTD W/HOSETENNA -INCL	P	1,197	24
	COMPOSITE GLDHD/LT PLG HLDR			
9121112	AIR/LIGHT LINES: 12 FT COILED	P	56	0
9127027	TRLR Batt CHG circuit W/150AMP CKT BRKR	U	426	0
	with detachable trailer charge line			
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140193	DEL HOSETENNA:USE W/ TRAC KIT CODE-LINE	P	52-	9-
	SUPT DEV MUST BE INSTLD BFOR VEH IN SVC			
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560	P	0	0
	7 PIN CONNECTOR (PER TMC RP137)			
9140704	HOSETENNA BRACKET 4' BOC/S	P	15	0
	Plus or minus 6"			
9150170	AIR TANKS: ALUMINUM RPL STEEL ALL TANKS	P	443	44-
	*NOT AIR TANKS ON LIFT AXLES			
N9100	9999995 187567-187571 Q1/187558-187560			
N9101	9999995 Q2			
ORDER REVIEWED BY APPLICATIONS TECH:				
9290172	Cindy.Carey@paccar.com	U	0	0
	740-774-5502			

GLIDER KITS AND ASSEMBLIES

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
9400079	Dealer Pick Up	U	0	0
SPECIAL EQUIPMENT				
9407001	Prepaid Credit \$50	U	0	0
9407075	PREPAID CREDIT \$1,975	U	0	0
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	48	4
9490404	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DR. SEAT. CLASS ABC.	P	149	11
9490645	ZINC PHOSPHATE FRAME RAIL PAINT PROCESS REQS RAIL CODE. CODE IS F/1 PR OF RAILS	P	395	0
9491659	VMUX Architecture	P	0	0
PAINT COLOR NUMBER				
9700000	PAINT COLOR NUMBER(S)	P	0	0
N9702	A - L0228EY MED RICH BL			
N9720	FRAME N0001EA BLACK			
NOTES				
9800001	***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5245	U	0	0
N9801	1811487 CUSTOMER WANTS LEECE NEVELLE			
N9802	1811487 ALTERNATOR			
N9803	6533219 SL7LWB1025024			
N9804	9056144 LED PED MOUNT FLOOD			
N9805	9127027 TRLR BATT CHG CIRCUIT /150AMP C			
N9806	9127027 CUTOMER WANTS 150 AMP CKT BRKR			
N9807	9127027 FOR TRAILER OPS			
N9808	6533219 SL7LWB1025024			
N9809	APP ENGRG REVIEW: ENG/POWERTRAIN			
PAINT				
9943004	BUMPER UNPAINTED	P	0	0
9943052	Day Cab Pearl/Metallic Paint	P	817	0
9944820	1 Color Paint Day Cab White If No Color Specified	P	0	0
9960006	***PAINT SKETCH VERIFIED***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0	0
ORDER INFORMATION				
9999995	CANCEL/REORDER CHASSIS	P	0	0
N9994	EMAIL: SBROWN@KWOFPA.COM			
N9995	CELL PHONE: 717-462-2114			
N9996	SALESPERSON ID: SHAWN BROWN			
N9997	DEALER CONTACT			
N9998	NAME: SHAWN BROWN PH:717-766-8000			
N9999	JCC 01/28/22 OC011			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
	** TOTAL ESTIMATED WEIGHT			15,412
	TOTAL LIST PRICE		237,052	
BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE				
9510724	- 2022 SCHEDULING CODE - PROGRAM		0	
9510780	- TC560 Q2 2022 PROGRAM TRACKING CODE		0	
9510819	- 2022 SCHEDULING MOVE		0	
	ADJUSTED LIST PRICE		237,052	
PROMOTION PROGRAM CODE 0000777 @ 0.00 %				
TC560	TC560 Q2 2022 SALES PROGRAM US - X15		0	
	CHANGE ORDER CHARGE		350	
SURCHARGE/OPTIONS NO DISC				
9210239	- Class 8 Sales Program		2,000-	
	\$2000 Net Credit			
9220001	- BASE WARR: EMISSIONS		0	
	5YR/100K MI - EPA ENGINE			
	TOTAL SURCHARGE/OPTIONS NOT SUBJECT TO DISC		2,000-	
OPTIONAL EXT WTY & PRV MNT				
9200021	- BASE WARR: STANDARD SERVICE HEAVY DUTY		0	
	12 MONTHS/100K MI/160K KM			
9207968	- EW: CUMMINS X15 PP1 TRAVEL/TOW EPA21		2,885	
	5YR/300K MI(482,804KM) EFF/PRO SERIES			
9207996	- EW: CUMMINS X15 A/T USE W/ PP1 EPA21		1,045	
	5YR/300K MI(482,804KM) EFF/PRO SERIES			
9212611	- 24MO TRUCKTECH+ SUB - CUMMINS ENGINES		0	
	TOTAL OPTIONAL EXT WTY & PRV MNT		3,930	
	TOTAL TIRE FET INCLUDED -- AS PRODUCED		350	
	MARKETING AND TECHNOLOGY FEE		940	
** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.				
SHIP CD : ISD0001				
DLR/BUS : NONE				
ADDRESS1 :				
ADDRESS2 :				
CITY :				
CONTACT : ISD0001-none ST: ZIP/PSTL:				
PH :				
CTRY :				